

Rev; July 22, 2011

Specifications

Length	8.66 m / 28' 5"	Aluminum Thickness	
Beam	2.9 m / 9' 6"	Side material thickness	4.1 mm / 0.16
Height of Sides	107 cm / 42"	Bottom thickness	6.4 mm / 0.25
Bottom Width	2.29 m / 90"	Bottom Alloy	5086
Approx. Dry Weight	2288 kg / 5044 lbs	Cockpit Area	2.21 m x 2.39 m / 87"L x 94"W
Deadrise	Variable 18 degrees	Cabin Length	2.83 m / 111 1/2"
Fuel Capacity	606 L / 160 USG	V-berth length	1.82 m / 71 1/2"
Maximum HP	450 hp	2 x 55 USG Fish lockers in cockpit floor	416 L / 110 USG total
Transom height	64 cm / 25"	Transom fish locker	114 L / 30 USG
Transom weight limit	544 kg / 1200 lbs	Cabin Headroom	1.97 m / 6' 5 1/2"



Boat may not be exactly as shown

Standard Features

Unparalleled seaworthiness, style and safety
Limited transferable lifetime warranty

Hull Features

Pre-Flex® hull technology
Full length performance delta keel
Engineered full length reverse chines
Performance lifting strakes
Formed compound angle box stringers / full length
Fully welded bow stem / heavy duty keel guard 7/16" total keel thickness
Single piece hull sides with wide formed gunnels
Fully welded external rub rail / hull stiffener
Closed cell polyurethane foam below cabin deck
Anchor rope locker / self draining with interior access hatch
Forward sloping windshield with 3 aluminum framed safety glass windows
3 Heavy duty pantographic windshield wipers
Raised self-bailing cockpit deck
Welded aluminum cockpit toe rail
2 Fish lockers in cockpit floor with commercial diaphragm pump out
Transom fish locker with cutting board and fish rail
4 Full length side storage trays in cockpit
Transom easy access door
Full width integrated external motor bracket
Welded bow eye with stainless steel insert
2 Stern eyes
7 x 8" welded bow and stern cleats
Hydraulic steering with center mount cylinder
Fully transferable lifetime hull warranty
Stainless steel bow rail (1" dia x 24" H)
Foul weather bow coamings
Welded sacrificial anodes
Full exterior side paint / zolatone decks and cabin
Welded re-enforced hull / stainless below water line through hull fittings

Cabin Features

Zolatone interior with carpeted hull sides and granite upholstery
Finished cuddy with carpeting and hull liner
Carpeted storage compartment in v-berth
18" Hatch with screen and 2 portholes with screens
Carpeted dash with sill
Aluminum radio shelf
Acrylic coated UV treated marine vinyl flooring
Stainless floor drain in cabin
Heavy duty weather tight cabin door
4 Drink holders

Electric Features

DC switch panel with illuminated switches and breakers
3 Electric 1100 gph bilge pumps with auto switch
Navigation lights package
Interior cabin lighting
Battery holders and 4-way dual battery switch
Trim tabs 12" X 12"
Dual compact electric horn
Main wiring harness with water tight connections and color coded and labeled wires
Mounting plate for thru-hull transducer
High water bilge alarm

Weekender Features

2 Carpeted v-berth storage shelves
2 V-berth lights
V-berth privacy curtain
V-berth cushion
Carpeted radio shelf with enclosure curtain
Suspension helm seat with slider
Dinette package with convertible berth and cushion
Forward bench seat with removable back rest with 3 extendible bench seats
Hand crafted solid wood inlaid cabinets; 1 drawer, 1 utensil compartment, 3 cupboards, 2 counter tops and coat rack
Stainless steel sink with faucet
Ice box
Stand up enclosed head with flush toilet, privacy curtains and dome light
40 gallon fresh water tank
40 gallon holding tank with Y valve, macerator pump and deck side clean out
Granite vinyl upholstery coverings

Available Option Packages**Aurora All Weather Package**

Ballistic Nylon covered bolster gunnel pads in aft fishing deck
Stainless steel radar arch
8 rod holders mounted on the cabin roof top
Stainless exterior hard top grab rails
Stainless interior roof rails
High pressure wash down system
Cockpit light

Dockside Package

Shore power with AC breaker panel, auto battery charger, galvanic isolator, 2- 110V outlets, 50 feet - 30 AMP shore power cord, and AC DC fridge upgrade from ice box

Rev; July 22, 2011

Specifications

Length	8.66 m / 28' 5"	Aluminum Thickness	
Beam	2.9 m / 9' 6"	Side material thickness	4.1 mm / 0.16
Height of Sides	107 cm / 42"	Bottom thickness	6.4 mm / 0.25
Bottom Width	2.29 m / 90"	Bottom Alloy	5086
Approx. Dry Weight	2288 kg / 5044 lbs	Cockpit Area	2.21 m x 2.39 m / 87"L x 94"W
Deadrise	Variable 18 degrees	Cabin Length	2.83 m / 111 1/2"
Fuel Capacity	606 L / 160 USG	V-berth length	1.82 m / 71 1/2"
Maximum HP	450 hp	2 x 55 USG Fish lockers in cockpit floor	416 L / 110 USG total
Transom height	64 cm / 25"	Transom fish locker	114 L / 30 USG
Transom weight limit	544 kg / 1200 lbs	Cabin Headroom	1.97 m / 6' 5 1/2"



Boat may not be exactly as shown

Standard Features

Unparalleled seaworthiness, style and safety
Limited transferable lifetime warranty

Hull Features

Pre-Flex® hull technology
Full length performance delta keel
Engineered full length reverse chines
Performance lifting strakes
Formed compound angle box stringers / full length
Fully welded bow stem / heavy duty keel guard 7/16" total keel thickness
Single piece hull sides with wide formed gunnels
Fully welded external rub rail / hull stiffener
Closed cell polyurethane foam below cabin deck
Anchor rope locker / self draining with interior access hatch
Forward sloping windshield with 3 aluminum framed safety glass windows
3 Heavy duty pantographic windshield wipers
Raised self-bailing cockpit deck
Welded aluminum cockpit toe rail
2 Fish lockers in cockpit floor with commercial diaphragm pump out
Transom fish locker with cutting board and fish rail
4 Full length side storage trays in cockpit
Transom easy access door
Full width integrated external motor bracket
Welded bow eye with stainless steel insert
2 Stern eyes
7 x 8" welded bow and stern cleats
Hydraulic steering with center mount cylinder
Fully transferable lifetime hull warranty
Stainless steel bow rail (1" dia x 24" H)
Foul weather bow coamings
Welded sacrificial anodes
Full exterior side paint / zolatone decks and cabin
Welded re-enforced hull / stainless below water line through hull fittings

Cabin Features

Zolatone interior with carpeted hull sides and granite upholstery
Finished cuddy with carpeting and hull liner
Carpeted storage compartment in v-berth
18" Hatch with screen and 2 portholes with screens
Carpeted dash with sill
Aluminum radio shelf
Acrylic coated UV treated marine vinyl flooring
Stainless floor drain in cabin
Heavy duty weather tight cabin door
4 Drink holders

Electric Features

DC switch panel with illuminated switches and breakers
3 Electric 1100 gph bilge pumps with auto switch
Navigation lights package
Interior cabin lighting
Battery holders and 4-way dual battery switch
Trim tabs 12" X 12"
Dual compact electric horn
Main wiring harness with water tight connections and color coded and labeled wires
Mounting plate for thru-hull transducer
High water bilge alarm

Excursion Features

Fishmaster helm seat with slider
Dinette package with convertible berth and cushion
Forward bench seat with removable back rest with 3 extendible bench seats
Aluminum cabinets with storage
Stainless sink with 6 gal fresh water tank and manual faucet
Interior roof top rod storage
Insulated cooler with cabinet storage location
Stand up enclosed head with flush toilet, privacy curtains and dome light
Embossed super durable vinyl upholstery coverings

Available Option Packages**Aurora All Weather Package**

Ballistic Nylon covered bolster gunnel pads in aft fishing deck
Stainless steel radar arch
8 rod holders mounted on the cabin roof top
Stainless exterior hard top grab rails
Stainless interior roof rails
High pressure wash down system
Cockpit light

Dockside Package

Shore power with AC breaker panel, auto battery charger, galvanic isolator, 2- 110V outlets, 50 feet - 30 AMP shore power cord, and AC DC fridge upgrade from ice box

2012 Dealer Program

KINGFISHERPage 1, Base Boat
2825 KF Destination

Rev; July 22, 2011

Specifications

Length	8.66 m / 28' 5"	Aluminum Thickness	
Beam	2.9 m / 9' 6"	Side material thickness	4.1 mm / 0.16
Height of Sides	107 cm / 42"	Bottom thickness	6.4 mm / 0.25
Bottom Width	2.29 m / 90"	Bottom Alloy	5086
Approx. Dry Weight	2288 kg / 5044 lbs	Cockpit Area	2.21 m x 2.39 m / 87"L x 94"W
Deadrise	Variable 18 degrees	Cabin Length	2.83 m / 111 1/2"
Fuel Capacity	606 L / 160 USG	V-berth length	1.82 m / 71 1/2"
Maximum HP	450 hp	2 x 55 USG Fish lockers in cockpit floor	416 L / 110 USG total
Transom height	64 cm / 25"	Transom fish locker	114 L / 30 USG
Transom weight limit	544 kg / 1200 lbs	Cabin Headroom	1.97 m / 6' 5 1/2"



Boat may not be exactly as shown

Standard Features

Unparalleled seaworthiness, style and safety
Limited transferable lifetime warranty

Hull Features

Pre-Flex® hull technology
Full length performance delta keel
Engineered full length reverse chines
Performance lifting strakes
Formed compound angle box stringers / full length
Fully welded bow stem / heavy duty keel guard 7/16" total keel thickness
Single piece hull sides with wide formed gunnels
Fully welded external rub rail / hull stiffener
Closed cell polyurethane foam below cabin deck
Anchor rope locker / self draining with interior access hatch
Forward sloping windshield with 3 aluminum framed safety glass windows
3 Heavy duty pantographic windshield wipers
Raised self-bailing cockpit deck
Welded aluminum cockpit toe rail
2 Fish lockers in cockpit floor with commercial diaphragm pump out
Transom fish locker with cutting board and fish rail
4 Full length side storage trays in cockpit
Transom easy access door
Full width integrated external motor bracket
Welded bow eye with stainless steel insert
2 Stern eyes
7 x 8" welded bow and stern cleats
Hydraulic steering with center mount cylinder
Fully transferable lifetime hull warranty
Stainless steel bow rail (1" dia x 24" H)
Foul weather bow coamings
Welded sacrificial anodes
Full exterior side paint / zolatone decks and cabin
Welded re-enforced hull / stainless below water line through hull fittings

Cabin Features

Zolatone interior with carpeted hull sides and granite upholstery
Finished cuddy with carpeting and hull liner
Carpeted storage compartment in v-berth
18" Hatch with screen and 2 portholes with screens
Carpeted dash with sill
Aluminum radio shelf
Acrylic coated UV treated marine vinyl flooring
Stainless floor drain in cabin
Heavy duty weather tight cabin door
4 Drink holders

Electronic Features

DC switch panel with illuminated switches and breakers
3 Electric 1100 gph bilge pumps with auto switch
Navigation lights package
Interior cabin lighting
Battery holders and 4-way dual battery switch
Trim tabs 12" X 12"
Dual compact electric horn
Main wiring harness with water tight connections and color coded and labeled wires
Mounting plate for thru-hull transducer
High water bilge alarm

Destination Features

V-berth head board with reading lights and cushions
2 Carpeted v-berth storage shelves
2 V-berth lights
Color matched fabric V-berth privacy curtain
Color matched fabric V-berth cushion
Solid wood finished radio shelf
Suspension helm seat with slider
Premium Stainless steering wheel
Premium main cabin lighting

Destination Features (continued)

Cold weather pack; includes interior wall liners and premium carpet runner
Side cabin window valances with curtains
Premium embossed vinyl flooring
Carpeted dash with solid wood sill
Dinette package with convertible berth and cushion
Forward bench seat with removable back rest with 3 extendible bench seats
Hand crafted solid wood inlaid cabinets; 1 drawer, 1 utensil compartment, 3 cupboards, 2 counter tops, cupboard over sink / stove, plate and chart rack over dinette and coat rack
Solid wood dinette table
Stainless steel sink with stainless steel faucet
Ice box
Stand up enclosed head with flush toilet, privacy curtains and dome light
Premium head stall door
40 gallon fresh water tank
40 gallon holding tank with Y valve, macerator pump and deck side clean out
Premium vinyl and fabric upholstery coverings

Available Option Packages**Aurora All Weather Package**

Ballistic Nylon covered bolster gunnel pads in aft fishing deck
Stainless steel radar arch
8 rod holders mounted on the cabin roof top
Stainless exterior hard top grab rails
Stainless interior roof rails
High pressure wash down system
Cockpit light

Dockside Package

Shore power with AC breaker panel, auto battery charger, galvanic isolator, 2- 110V outlets, 50 feet - 30 AMP shore power cord, and AC DC fridge upgrade from ice box